

# ANALYTICA CHIMICA ACTA

An international journal devoted to all branches of analytical chemistry



(Full texts are incorporated in CJESEVIER, a file in the Chemical Journals Online database available on STN International; Abstracted, indexed in: Aluminium Abstracts; Anal. Abstr.; Biol. Abstr.; BIOSIS; Chem. Abstr.; Curr. Contents Phys. Chem. Earth Sci.; Engineered Materials Abstracts; Excerpta Medica; Index Med.; Life Sci.; Mass Spectrum. Bull.; Material Business Alerts; Metals Abstracts; Sci. Citation Index)

VOL. 354 NO.1-3

CONTENTS

NOVEMBER 10, 1997

## Environmental Analysis

- Correlation of the antimony concentration of umbilical cord and child hair measured by hydride generation-atomic fluorescence spectrometry  
F. Keenan, C. Cooke, M. Cooke (Sheffield, UK), C. Pennock and the ALSPAC Team (Bristol, UK) ..... 1
- Determination of bismuth in cod muscle, lake and river sediment by flow injection on-line sorption preconcentration in a knotted reactor coupled with electrothermal atomic absorption spectrometry  
E. Ivanova, X.-P. Yan and F. Adams (Antwerp (Wilrijk), Belgium) ..... 7
- Modification of the van den Berg/Ruzic method for the investigation of complexation parameters of natural waters  
N.J. Turoczy and J.E. Sherwood (Warrnambool, Australia) ..... 15

## Flow Immunoassay

- Comparison of liposome amplification and fluorophor detection in flow-injection immunoanalyses  
M. Lee, R.A. Durst (Geneva, NY, USA) and R.B. Wong (Princeton, NJ, USA) ..... 23
- Flow immunoassay using a cation exchange column and fluorescence-labelled antibody for detection of allergen  
T.-K. Lim, N. Nakamura and T. Matsunaga (Tokyo, Japan) ..... 29

## Flow Analysis

- Micro-continuous flow system for wet chemical analysis  
K. Carlsson (Stockholm, Sweden), H.S. Jacobsen (Nordborg, Denmark), A. Lynggaard Jensen (Aarhus, Denmark), T. Stenström (Nordborg, Denmark) and B. Karlberg (Stockholm, Sweden) ..... 35
- Simultaneous flow injection determination of iron(II) and iron(III) with opto-electrochemical detection  
B. Haghighi and A. Safavi (Shiraz, Iran) ..... 43
- Flow injection spectrophotometric determination of sulfite using a crude extract of sweet potato root (*Ipomoea batatas* (L.) Lam.) as a source of polyphenol oxidase  
O. Fatibello-Filho and I. da Cruz Vieira (São Carlos SP, Brazil) ..... 51
- Influence of different volume ratios on the isodispersion point in sequential injection analysis  
J.F. van Staden, H. du Plessis, S.M. Linsky, R.E. Taljaard and B. Kremer (Pretoria, South Africa) ..... 59

## Chromatography and Electrophoresis

- Automation of gas chromatography instruments. Part I. Automated peak identification in the chromatograms of standard test mixtures  
H. Du and M.J. Stillman (London, Canada) ..... 65
- Automation of gas chromatography instruments. Part II. A knowledge-based system for performance assessment  
H. Du and M.J. Stillman (London, Canada) ..... 77
- Evaluation of ticlopidine in human serum and plaque by liquid chromatography/atmospheric pressure chemical ionization mass spectrometry  
A. Laganà (Rome, Italy), G. Bellagamba (Fermo (AP), Italy), G. D'Ascenzo, A. Gentili and A. Marino (Rome, Italy) ..... 87
- Liquid chromatography-Fourier transform infrared spectrometric determination of cholesterol in animal greases  
Y. Daghbouche, S. Garrigues and M. de la Guardia (Burjassot, Spain) ..... 97
- Improvement on simultaneous determination of chromium species in aqueous solution by ion chromatography and chemiluminescence detection  
B. Gammelgaard (Copenhagen, Denmark), Y. Liao (Beijing, People's Republic of China) and O. Jøns (Copenhagen, Denmark) ..... 107

(Continued overleaf)

Retention behaviour of the sulphoxide, sulphone and 2-aminosulphone metabolites of albendazole in ion-pair liquid chromatography N.A. Botsoglou, D.J. Fletouris, I.E. Psomas and A.I. Mantis (Thessaloniki, Greece) . . . . .	115
Separation and estimation of diloxanide furoate and metronidazole in solid dosage form using packed column supercritical fluid chromatography I.C. Bhoir, B. Raman, M. Sundaresan and A.M. Bhagwat (Mumbai, India) . . . . .	123
Potentiometric detection in capillary electrophoresis with a metallic copper electrode T. Kappes and P.C. Hauser (Basel, Switzerland) . . . . .	129
<i>Separation and Preconcentration</i>	
Nitrogen speciation analysis in solid samples by integrated pervaporation and detection I. Papaefstathiou and M.D. Luque de Castro (Córdoba, Spain) . . . . .	135
Synthesis and efficiency of a spherical macroporous epoxy-imidazole complexing resin for preconcentrating trace noble metal ions X. Chang, Z. Su, D. Yang, B. Gong, Q. Pu and S. Li (Lanzhou, China) . . . . .	143
On-line sorption preconcentration of chromium(VI) and its determination by flame atomic absorption spectrometry A. Gáspár and J. Posta (Debrecen, Hungary) . . . . .	151
<i>UV-Visible Spectrophotometry</i>	
Asymmetric porphyrin derivative having one reactive site as a highly sensitive spectrophotometric reagent for nitrite T. Kawakami and S. Igarashi (Hitachi, Japan) . . . . .	159
Simultaneous spectrophotometric determination of mixtures of food colorants Y. Ni and X. Gong (Nanchang, China) . . . . .	163
<i>Kinetic Methods</i>	
Simultaneous kinetic determination of butylated hydroxyanisole and propyl gallate by coupling stopped-flow mixing technique and diode-array detection M.P. Aguilar-Caballeros, A. Gómez-Hens and D. Pérez-Bendito (Córdoba, Spain) . . . . .	173
<i>Luminescence Techniques</i>	
Isomer-specific detection of azaarenes in environmental samples by Shpol'skii luminescence spectroscopy I.S. Kozin, O.F.A. Larsen, P. de Voogt, C. Gooijer and N.H. Velthorst (Amsterdam, The Netherlands) . . . . .	181
A fluorescence flow injection method for the quantitation of cyanide: Its application to the quantitation of bound cyanide in cassava using an immobilized linamarase bioreactor D. Narinesingh, S. Saroop (St. Augustine Campus, Trinidad and Tobago) and T.T. Ngo (Tustin, CA, USA) . . . . .	189
Spectrofluorimetric study of the acid-base equilibria and complexation behavior of the fluoroquinolone antibiotics ofloxacin, norfloxacin, ciprofloxacin and pefloxacin in aqueous solution A.I. Drakopoulos and P.C. Ioannou (Athens, Greece) . . . . .	197
Highly sensitive flow-injection determination of glucose in plasma using an immobilized pyranose oxidase and a chemiluminometric peroxidase sensor N. Kiba, A. Itagaki, S. Fukumura, K. Saegusa and M. Furusawa (Kofu, Japan) . . . . .	205
<i>Chemometrics</i>	
Multivariate data analysis as a tool for evaluating emission intensity, background equivalent concentration and detection limit obtained for different plasma positions in direct current plasma-atomic emission spectrometry R. Danielsson, L.R. Petersson and A. Frank (Uppsala, Sweden) . . . . .	211
Improved variable selection procedure for multivariate linear regression A.D. Walmsley (Hull, UK) . . . . .	225
Simultaneous determination of mixtures of metal ions by complexometric titration and multivariate calibration Y. Ni and Y. Wu (Nanchang, China) . . . . .	233
Simultaneous determination of orthophosphate and arsenate based on multi-way spectroscopic-kinetic data evaluation Å.K. Pettersson and B. Karlberg (Stockholm, Sweden) . . . . .	241
Advanced application of rule nets to the automation of chemical analysis systems M. Peris, R. Ors, A. Bonastre, P. Gil and J. Serrano (Valencia, Spain) . . . . .	249
Treatment of responses below the detection limit: some current techniques compared by Factor Analysis on environmental data R. Aruga (Turin, Italy) . . . . .	255
Clustering data using a modified integer genetic algorithm (IGA) J.-H. Jiang, J.-H. Wang, X. Chu and R.-Q. Yu (Changsha, China) . . . . .	263
<i>Electrochemical Techniques and Sensors</i>	
Simultaneous measurements of trace chromium and uranium using mixed ligand adsorptive stripping analysis J. Wang, J. Lu, J. Wang, D. Luo and B. Tian (Las Cruces, NM, USA) . . . . .	275

(Continued overleaf)

Membranes containing new large size calixarenes on semiconductor substrates for chemical microsensors R. Mlika (Villeurbanne, France, Monastir, Tunisia and Ecully, France), I. Dumazet, M. Gamoudi, R. Lamartine (Villeurbanne, France), H. Ben Ouada (Monastir, Tunisia), N. Jaffrezic-Renault (Ecully, France) and G. Guillaud (Villeurbanne, France) .....	283
Detection and selectivity properties of Li <sup>+</sup> -ion-selective electrodes based on NASICON-type ceramics M. Cretin and P. Fabry (Saint Martin d'Hères, France) .....	291
Tris(2-ethylhexyl) phosphate and tricresyl phosphate as new neutral carriers for organic ammonium ion-selective membrane electrodes T. Katsu, D. Xu, K. Tsuji and T. Nagamatsu (Okayama, Japan) .....	301
Use of cobalt(II) phthalocyanine to improve the sensitivity and stability of glassy carbon electrodes for the detection of cresols, chlorophenols and phenol T. Mafatle and T. Nyokong (Grahamstown, South Africa) .....	307
Simultaneous superoxide and hydrogen peroxide detection in peroxidase/NADH oscillator V. Lvovich and A. Scheeline (Urbana, IL, USA) .....	315
Coconut-based plant tissue reactor for biosensing of catechol in flow injection analysis A.W.O. Lima, V.B. Nascimento, J.J. Pedrotti and L. Angnes (São Paulo, Brazil) .....	325
Catalytic oxidation and flow detection of hydrazine compounds at a nafion/ruthenium(III) chemically modified electrode I.G. Casella, M.R. Guascito, A.M. Salvi (Potenza, Italy) and E. Desimoni (Milan, Italy) .....	333
Voltammetric behaviour of dopamine at nickel phthalocyanine polymer modified electrodes and analytical applications T.-F. Kang, G.-L. Shen and R.-Q. Yu (Changsha, People's Republic of China) .....	343
Fabrication of directly polymerized 4-vinylpyridine onto a pencil 2B graphite paste electrode for glucose monitoring M.H. Zahir and S. Ab Ghani (P. Pinang, Malaysia) .....	351
Novel photochemical voltammetric method for the determination of traces of iron in tea Z. Jiang, X. Liu, M. Zhao and W. Mo (Guilin, China) .....	359
Electrochemical reduction of isatic acid at mercury electrodes in aqueous media Y. Chi, H. Chen and G. Chen (Fujian, China) .....	365
<i>Author Index</i> .....	375

L  
4  
S  
7